



ZUBAT

240/270/300/330



ZÜBAT

Curved Blade



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
270-24	240/9.5	7.5 / 6.4	400	1.3	270249
270-27	270/10.6	7.5 / 6.4	405	1.3	270270
270-30	300/11.8	7.5 / 6.4	480	1.4	270300
270-33	330/13.0	7.5 / 6.4	490	1.4	270331

BLADE Code No.	Barcode No. 4903585
271-24	271246
271-27	271277
271-30	271307
271-33	271338

ZUBAT

390



ZÜBAT



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
270-39	390/15.4	7.5 / 6.4	726	1.4	270393

BLADE Code No.	Barcode No. 4903585
271-39	271390

ZUBAT

330



ZÜBAT

Curved Blade



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
278-33	330/13.0	10 / 8.5	490	1.4	278337

BLADE Code No.	Barcode No. 4903585
279-33	279334

SUGOI

360/420



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
390-36	360/14.2	6.5 / 5.5	650	1.75	390367
390-42	420/16.5	6.5 / 5.5	725	1.75	390428

BLADE Code No.	Barcode No. 4903585
391-36	391364
391-42	391425

SUGOWAZA

420



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
419-42	420/16.5	6.5/5.5	710	1.7	419426

BLADE Code No.	Barcode No. 4903585
420-42	420422

GENKI TEMAGARI 300/330/360/390/500



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
550-30	300/11.8	5-6.5/4.2-5.5	260	1.5	550303
550-33	330/13.0	5-6.5/4.2-5.5	280	1.5	550334
550-36	360/14.2	5-6.5/4.2-5.5	340	1.7	550365
550-39	390/15.4	5-6.5/4.2-5.5	350	1.9	550396
550-50	500/19.7	3-5/2.5-4.2	785	1.7	550501

TSURUGI CURVE 210/270/330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
454-21	210/8.3	7.5 /6.4	395	1.4	454212
454-27	270/10.6	7.5 /6.4	430	1.5	454274
454-33	330/13.0	7.5 /6.4	465	1.6	454335

BLADE Code No.	Barcode No. 4903585
455-21	455219
455-27	455271
455-33	455332

TSURUGI CURVE 210/270/330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
456-21	210/8.3	10/8.5	395	1.4	456216
456-27	270/10.6	10/8.5	430	1.5	456278
456-33	330/13.0	10/8.5	465	1.6	456339

BLADE Code No.	Barcode No. 4903585
457-21	457213
457-27	457275
457-33	457336

HAND SAWS

IBUKI

390



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
275-39	390/15.4	6.5/5.5	847	2.25	275398

BLADE Code No.	Barcode No. 4903585
276-39	276395

GOMTARO 180/210/240/270/300/330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
102-18	180/7.0	8/6.8	350	1.3	102182
102-21	210/8.3	8/6.8	355	1.3	102212
102-24	240/9.5	8/6.8	370	1.3	102243
102-27	270/10.6	8/6.8	385	1.3	102274
102-30	300/11.8	8/6.8	395	1.3	102304
102-33	330/13.0	8/6.8	410	1.3	102335

BLADE Code No.	Barcode No. 4903585
103-18	103189
103-21	103219
103-24	103240
103-27	103271
103-30	103301
103-33	103332

GOMTARO

240/270/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
104-24	240/9.5	13/11.0	360	1.1	104247
104-27	270/10.6	13/11.0	370	1.1	104278
104-30	300/11.8	13/11.0	380	1.1	104308

BLADE Code No.	Barcode No. 4903585
105-24	105244
105-27	105275
105-30	105305

GOMTARO Pro-Sentei

240/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
108-24	240/9.5	8+14/6.8+11.9	355	1.1	108245
108-30	300/11.8	8+14/6.8+11.9	400	1.3	108306

BLADE Code No.	Barcode No. 4903585
109-24	109242
109-30	109303



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
153-24	240/9.5	8/6.8	370	1.3	153245

BLADE Code No.	Barcode No. 4903585
154-24	154242



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
409-27	270/10.6	8+10/6.8+8.5	385	1.4	409274

BLADE Code No.	Barcode No. 4903585
410-27	410270

HAND SAWS



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
450-20	200/7.9	8/6.8	400	1.5	450207
450-30	300/11.8	8/6.8	455	1.6	450306
450-40	400/15.8	8/6.8	510	1.7	450405

BLADE Code No.	Barcode No. 4903585
451-20	451204
451-30	451303
451-40	451402



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
452-20	200/7.9	10/8.5	405	1.5	452201
452-30	300/11.8	10/8.5	460	1.6	452300
452-40	400/15.8	10/8.5	515	1.7	452409

BLADE Code No.	Barcode No. 4903585
453-20	453208
453-30	453307
453-40	453406

NATANOKO 60

NATANOKO 2000

300/330
330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
129-30	300/11.8	7-8/5.9-6.8	465	1.4	129301
129-33	330/13.0	7-8/5.9-6.8	485	1.4	129332
401-33	330/13.0	6.5/5.5	475	1.4	401339

BLADE Code No.	Barcode No. 4903585
130-30	130307
130-33	130338
402-33	402336

YAMABICO

330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
407-33	330/13.0	7+10/5.9+8.5	410	1.4	407331

BLADE Code No.	Barcode No. 4903585
408-33	408338



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No.
340-13	130/5.0	10/8.5	170	1.1	340133
340-17	170/6.7	10/8.5	210	1.1	340171

BLADE Code No.	Barcode No.
341-13	341130
341-17	341178



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No.
342-13	130/5.0	20/16.9	165	0.9	342137
342-17	170/6.7	20/16.9	205	0.9	342175

BLADE Code No.	Barcode No.
343-13	343134
343-17	343172



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No.
119-21	210/8.3	7.5/6.4	195	1.3	119210
117-21	210/8.3	14/11.9	195	1.1	117216

BLADE Code No.	Barcode No.
120-21	120216
118-21	118213



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No.
346-13	130/5.0	8/6.8	170	1.1	346135
346-17	170/6.7	8/6.8	210	1.1	346173

BLADE Code No.	Barcode No.
347-13	347132
347-17	347170



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No.
110-16	160/6.3	7.5/6.4	214	1.3	110163

BLADE Code No.	Barcode No.
112-16	112167



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No.
143-18	180/7.0	7.5/6.4	150	1.3	143185

BLADE Code No.	Barcode No.
144-18	144182

GOMBOY

210/240/270/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
121-21	210/8.3	10/8.5	235	1.2	121213
121-24	240/9.5	10/8.5	270	1.3	121244
121-27	270/10.6	10/8.5	280	1.3	121275
121-30	300/11.8	10/8.5	310	1.3	121305

BLADE Code No.	Barcode No. 4903585
122-21	122210
122-24	122241
122-27	122272
122-30	122302

ULTRA ACCEL CURVE

240



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
446-24	240/9.5	7.5/6.4	295	1.3	446248

BLADE Code No.	Barcode No. 4903585
447-24	447245

BIGBOY

360



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
350-36	360/14.2	10/8.5	410	1.3	350361

BLADE Code No.	Barcode No. 4903585
351-36	351368

BIGBOY

360



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
352-36	360/14.2	13/11.0	395	1.1	352365

BLADE Code No.	Barcode No. 4903585
353-36	353362

BIGBOY

360



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
354-36	360/14.2	7/5.9	405	1.3	354369

BLADE Code No.	Barcode No. 4903585
355-36	355366

BIGBOY 2000

360



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
356-36	360/14.2	6.5/5.5	406	1.4	356363

BLADE Code No.	Barcode No. 4903585
357-36	357360

KATANABOY

500



EXTRA LARGE

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
403-50	500/19.7	5/4.2	900	1.9	403500

BLADE Code No.	Barcode No. 4903585
404-50	404507

KATANABOY

650

NEW



EXTRA LARGE

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
403-65	650/25.6	4/3.4	1,270	2.4	403654

BLADE Code No.	Barcode No. 4903585
404-65	404651

WOODBAY

dozuki/32teeth/26teeth 240



WOODBAY dozuki No.384-24

EXTRA FINE

WOODBAY 32teeth No.388-24

EXTRA FINE

WOODBAY 26teeth No.386-24

EXTRA FINE

WOODBAY

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
384-24	240/9.5	32/27.1	285	0.66	384243
388-24	240/9.5	32/27.1	220	0.66	388241
386-24	240/9.5	26/22.0	218	0.76	386247

BLADE Code No.	Barcode No. 4903585
385-24	385240
389-24	389248
387-24	387244

TAKERUBOY

240/270



product design award 2012 GOLD

FINE EXTRA FINE

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
415-24	240/9.5	18/15.2	275	0.85	415244
415-27	270/10.6	18/15.2	300	0.95	415275
417-24	240/9.5	24/20.3	275	0.85	417248
417-27	270/10.6	24/20.3	300	0.95	417279

BLADE Code No.	Barcode No. 4903585
416-24	416241
416-27	416272
418-24	418245
418-27	418276

TSUBASA

285



TSUBASA

MEDIUM FINE EXTRA FINE

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
334-28	285/11.2	14/11.9	345	0.9	334286
332-28	285/11.2	18/15.2	340	0.9	332282
330-28	285/11.2	22/18.6	350	0.9	330288

BLADE Code No.	Barcode No. 4903585
335-28	335283
333-28	333289
331-28	331285

HIBIKI

210



hibiki EXTRA FINE

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
396-21	210/8.3	22+10/18.6+8.5	346	0.95	396215

BLADE Code No.	Barcode No. 4903585
397-21	397212

FOLDING SAWS

WOODWORKING SAWS

RYOGA

210/240/270



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No.
440-21	210/8.3	22+10/18.6+8.5	240	0.95	440215
440-24	240/9.5	18+10/15.2+8.5	250	0.95	440246
440-27	270/10.6	14+10/11.9+8.5	255	0.95	440277

BLADE Code No.	Barcode No.
441-21	441212
441-24	441243
441-27	441274

ICON DESCRIPTIONS (for USE)

EXTRA LARGE



FORESTRY

SE Stamkvistning
D Forst Pflege
GB Forestry maintenance
F La silviculture
NL Basbouw onderhoud
I Silvicultura
E Silvicultura



ARBORIST

SE Arborist
D Baumpflege
GB Arborist
F Arboriculture
NL Boomverzorging
I Arboricoltura
E Arboles Ornamentales

MEDIUM



CONSTRUCTION

SE Byggnation
D Bau
GB Construction
F Bâtiment
NL Bouw
I Costruzione
E Construcción



PRUNING

SE Trädgård
D Garten
GB Gardening
F Jardinier
NL Tuinieren
I Giardianaggio
E Jardinear

LARGE



PRUNING

SE Trädgård
D Garten
GB Gardening
F Jardinier
NL Tuinieren
I Giardianaggio
E Jardinear



CONSTRUCTION

SE Byggnation
D Bau
GB Construction
F Bâtiment
NL Bouw
I Costruzione
E Construcción



ROOT CUTTING

SE Rotbeskärning
D Wurzel schneiden
GB Root cutting
F Taille de racines
NL Wortel snoeien
I Taglio radici
E Poda De raíces

FINE



WOOD WORKING

SE Snickerier/-arbeiten
D Holzbearbeitung
GB Wood-working
F travail du bois
NL Houtbewerking



BAMBOO CUTTING

SE Bambusågning
D Sägen von Bambus
GB Bamboo cutting
F Scier du bambou
NL Zagen van bamboe
I Segare bambù
E Serrar de bambù

EXTRA FINE



DIY & HOBBY

SE Hobby
D DIY & Hobby
GB DIY & Hobby
F Bricolage & Hobby
NL DHZ & Hobby
I Bricolage e hobby
E Bricolaje & Hobby



WOOD WORKING

SE Snickerier/-arbeiten
D Holzbearbeitung
GB Wood-working
F travail du bois
NL Houtbewerking

NATA double edge

210/240



SAW Code No.	Blade length mm/in	Weight (g)	Barcode No. 4903585
555-21	210/8.3	865	555216
555-24	240/9.5	875	555247

BLADE Code No.	Barcode No. 4903585
556-21	556213
556-24	556244

NATA single edge

210/240



SAW Code No.	Blade length mm/in	Weight (g)	Barcode No. 4903585
557-21	210/8.3	835	557210
557-24	240/9.5	875	557241

BLADE Code No.	Barcode No. 4903585
558-21	558217
558-24	558248

ONO

120



SAW Code No.	Blade length mm/in	Weight (g)	Barcode No. 4903585
568-10	120/4.7	870	568100

BLADE Code No.	Barcode No. 4903585
569-10	569107

YOKI

270



SAW Code No.	Blade length mm/in	Weight (g)	Barcode No. 4903585
570-27	270/10.6	680	570271

BLADE Code No.	Barcode No. 4903585
571-27	571278

ICON DESCRIPTIONS (for FUNCTION)



Mirai - Me

SE Fint snitt
D Feine Holzschitt
GB Smooth cutting
F Coupe le bois finement
NL Fijne houtsnede
I Taglie il legno finemente
E Acero al cromo endurecido



Impulse - hardening

SE Impulshärdet
D Impulsiv gehärtet
GB Impulse hardening
F Durci impulsivement
NL Impulsief gehard
I Indurimento intensivo
E Endurecido impulsivamente



Non - set Teeth

SE Koniskt
D Konisch
GB Conical
F Conique
NL Konisch
I Conico
E Conico



Sharpenable

SE Kan slipas
D Es ist zu feilen
GB Sharpenable
F Affûtable
NL Vijlen mogelijk
I Affilabile
E Afilable



Four rows of teeth

SE Fyra tandrader
D Vier Reihe Zähne
GB Four rows of teeth
F Quatre rangées de dents juxtaposées
NL Vier rijen tanden
I Quattro file di denti iustapposte
E Cuatro filas de dientes



FPA - ANERKANNT

FPA - approved in Germany

TODOKU No.433-17 Extension range 2,350~5,750 mm 7.7~18.9 ft.

LONGBOY 2-Ext No.365-36 Extension range 1,450~3,600 mm 4.8~11.8 ft.

ZUBAT 1-Ext 1200 No.272-12 Extension range 1,750~2,650 mm 5.7~8.7 ft.

ZUBAT 1-Ext 1500 No.272-15 Extension range 2,000~3,300 mm 6.6~10.8 ft.

ZUBAT 1-Ext 1800 No.272-18 Extension range 2,350~3,850 mm 7.7~12.6 ft.

FORESTER 2-Ext 3000 No.273-30 Extension range 1,700~3,000 mm 5.6~9.8 ft.

FORESTER 2-Ext 4500 No.273-45 Extension range 2,200~4,500 mm 7.2~14.8 ft.

HAYAUCHI IPPON No.426-39 Fixed length pole saw 2,440 mm 8 ft.

HAYAUCHI 1-Ext No.177-39 Extension range 2,280~3,700 mm 7.5~12.1 ft.

HAYAUCHI 2-Ext No.178-39 Extension range 2,350~4,900 mm 7.7~16.1 ft.

HAYAUCHI 3-Ext No.179-39 Extension range 2,440~6,300 mm 8~20.7 ft.

HAYAUCHI 4-Ext 4000 No.186-48 Extension range 1,840~4,030 mm 6~13.2 ft.

HAYAUCHI 4-Ext 5000 No.187-48 Extension range 2,040~5,000 mm 6.7~16.4 ft.

HAYAUCHI 4-Ext 6400 No.188-48 Extension range 2,320~6,400 mm 7.6~21 ft.

HAYATE IPPON No.427-39 Fixed length pole saw 2,480 mm 8.1 ft.

HAYATE 1-Ext No.370-42 Extension range 2,400~3,800 mm 7.9~12.5 ft.

HAYATE 2-Ext No.371-42 Extension range 2,400~5,000 mm 7.9~16.4 ft.

HAYATE 3-Ext No.372-42 Extension range 2,400~6,100mm 7.9~20 ft.

TODOKU EXTRA LARGE

LONGBOY LARGE

ZUBAT LARGE

FORESTER LARGE

Hayauchi EXTRA LARGE

HAYATE EXTRA LARGE

LONGBOY

360

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
365-36	360/14.2	7.5 /6.4	2,070	1.4	365365

BLADE Code No.	Barcode No. 4903585
366-36	366362

ZUBAT 1200/1500/1800

330

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
272-12	330/13.0	7.5 /6.4	1,360	1.4	272120
272-15	330/13.0	7.5 /6.4	1,530	1.4	272151
272-18	330/13.0	7.5 /6.4	1,710	1.4	272182

BLADE Code No.	Barcode No. 4903585
271-33	271338

FORESTER 3000/4500

380

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
273-30	380/15.0	7.5/6.4	1,780	1.7	273301
273-45	380/15.0	7.5/6.4	2,260	1.7	273455

BLADE Code No.	Barcode No. 4903585
274-38	274384

HAYAUCHI IPPON / 1-Ext / 2-Ext / 3-Ext / 4-Ext

390/480

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
426-39	390/15.4	6.5/5.5	1,655	2.3	426394
177-39	390/15.4	6.5/5.5	2,100	2.3	177395
178-39	390/15.4	6.5/5.5	2,650	2.3	178392
179-39	390/15.4	6.5/5.5	3,280	2.3	179399

BLADE Code No.	Barcode No.
177-02-03 Blade only	4903585 177029
177-02-41 Blade with cover & pipe	177043

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
186-48	480/18.9	6.5/5.5	2,950	2.3	186489
187-48	480/18.9	6.5/5.5	3,300	2.3	187486
188-48	480/18.9	6.5/5.5	3,830	2.3	188483

BLADE Code No.		Barcode No. 4903585
186-02	Blade only	186021
189-60	Sickle	189602
186-04	Blade with cover & pipe	186045

HAYATE IPPON / 1-Ext / 2-Ext / 3-Ext

420

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
427-39	420/16.5	6.5/5.5	1,885	1.7	427391
370-42	420/16.5	6.5/5.5	2,470	1.7	370420
371-42	420/16.5	6.5/5.5	3,170	1.7	371427
372-42	420/16.5	6.5/5.5	3,930	1.7	372424

BLADE Code No.	Barcode No. 4903585
373-42 Blade only	373421
374-42 Blade with cover , pipe & sickle	374428
376-42 Blade with cover & pipe w/o sickle	376422
375-70 Sickle	375708

TODOKU

390



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
433-17	390/15.4	6.5/5.5	5,260	2.3	433170

BLADE Code No.	Barcode No.
177-02-03 Blade only	4903585 177029
431-39 Blade with cover & pipe	431398

CURRENTLY UNAVAILABLE

CURRENTLY UNAVAILABLE

CURRENTLY UNAVAILABLE

Silky CATALOG



SILKY FOX HANDSAWS
Foxley Estate Office
Mansel Lacy
Hereford, HR4 7HQ
Tel: 01981 590224
Web: www.silkyfox.co.uk
Email: enquiries@silkyfox.co.uk



SINTUNG 50





- ▶ SINTUNG is a ratchet-operated lopper accessory for the Silky Hayauchi
- ▶ SINTUNG offers precise, easy pruning of branches up to 50mm diameter
- ▶ SINTUNG replaces your Hayauchi's blade in just a couple of minutes
- ▶ SINTUNG is supplied in a tough, protective draw-string pouch


SINTUNG and the Hayauchi telescopic pole reach where ordinary loppers cannot.

Silky's Hayauchi is available in three lengths, giving you a choice of pruning heights ranging from 3.7 metres to 6.3 metres

SINTUNG features a high carbon steel cutting blade which has been fully heat treated and Teflon-S coated to ensure smooth cutting

SINTUNG uses a unique double pulley system and a four position ratchet mechanism to let you lop thick branches with minimal effort







First pull: pulling rod in ratchet position one

Second pull: position two gives more bite

Third pull: ratchet position three gives yet more bite

Fourth pull: position four gives maximum bite

Sintung's four position ratchet cuts thick branches with ease. Double pulley mechanism for smooth cutting action.



Instructions for working with SINTUNG 50

1. Secure the handle on the rope at an appropriate working length.
2. Slide the mouth of the cutter over the branch to be cut. (Maximum working diameter = 50mm).
3. Pull down on the rope - this will cut thin branches and give a first bite into thick branches.
4. If the branch is too thick to be severed with this first pull, allow the silver pulling arm to return to its start position. This will permit the arm to engage with the second ratchet notch. Pull the handle again, this time the second ratchet notch engages, giving more leverage for a stronger cut.
5. If necessary, repeat using the third and fourth ratchet positions.

Note: For cutting thicker branches with multiple pulls, always ensure that the pulling rod engages with the next ratchet notch.

Caution: Watch out for the falling branches.

Do not use when within reach of overhead power cables.

SINTUNG Spare Parts

Part	Description
16377 A	Ratchet Pivot, Washer & Nut
16377 B	Central Bolt and Nut
16377 C	Cutting Blade
16377 D	Short Spring
16377 E	Main Spring
16377 G	Central Spring
16377 L	Plastic Click
16377 J1	12mm Bearing
16377 P2	Ratchet Plate
16377 W3	7 mm Metal Spacer

Enquiries:

**Silky Fox Saws
Foxley Estate Office
Mansel Lacy
Hereford
HR4 7HQ**

Tel: 01981 590224
Fax: 01981 590355
Email: enquiries@silkyfox.co.uk
Website: www.silkyfox.co.uk

